

WHAT IS CLAIMED IS:

1. In a computing environment, a method comprising:
collecting settings data from a disparate set of stores;
and

5 processing the settings into at least one markup language
document.

2. The method of claim 1 wherein the disparate set of
stores comprise containers for the settings data of a group
10 policy object.

3. The method of claim 1 wherein a markup language
document comprises a HTML-formatted document, and further
15 comprising, rendering a visible representation of the HTML-
formatted document.

4. The method of claim 3 wherein processing the
20 settings into at least one markup language document comprises
generating an HTML-formatted document.

5. The method of claim 4 further comprising, rendering
a visible representation of the HTML-formatted document.

25

6. The method of claim 4 wherein generating the HTML-formatted document comprises mapping a type of property dialog to HTML content.

5 7. The method of claim 4 wherein the HTML document includes headings and settings data.

8. The method of claim 7 wherein a set of settings data corresponds to a heading, and wherein the set of settings data
10 is shown based on interaction with the corresponding heading.

9. The method of claim 7 wherein the HTML document includes headings and settings data, and wherein one of the settings maps to a set of properties accessible via a property
15 dialog.

10. The method of claim 1 wherein processing the settings into at least one markup language document comprises serializing the settings into an XML-formatted document.

20

11. The method of claim 10 wherein serializing the settings comprises providing an XML schema and settings data to an XML serializer component.

12. A computer-readable medium having computer-executable instructions for performing the method of claim 1.

13. In a computing environment, a method comprising:
5 providing a schema that describes group policy object settings; and

applying the schema to output a formatted version of the group policy object settings.

10 14. The method of claim 13 wherein the schema comprises an XML schema.

15 15. A computer-readable medium having computer-executable instructions for performing the method of claim 13.

16. In a computing environment, a method comprising:
providing a schema that describes resultant set of policy settings; and

20 applying the schema to output a formatted version of the resultant set of policy settings.

17. The method of claim 16 wherein the schema comprises an XML schema.

25 18. A computer-readable medium having computer-executable instructions for performing the method of claim 16.